Draft;

GOVERNMENT OF ANDHRA PRADESH
ABSTRACT

Water Resources Department – Allocation of 2008 KLD (0.8207 Cusecs) of water from Kandaleru Reservoir through SSG Canal at KM 77.595 located in the Thottambedu(M), to M/s Kajaria Ceramics Limited, Thatiparthi (Village), Thottambedu (Mandal), Near Srikalahasti, Tirupati District - Permission accorded - Orders – Issued.

WATER RESOURCES (REFORMS) DEPARTMENT

G.O.Ms.No. 28 **Dated: 09 .03 .2023**

Read the following:-

1. Govt Memo No 50000/TGP(1)/96-1,Irrigation & CAD(PW) Department, Dt. 16-11-1996.
2. G.O. Ms. No. 202 of Industries & Commerce Department, Dt: 06-12-2014.
3. Govt. Memo. No. 2772/Reforms/A2/2015-1, dated: 30-09-2015.
4. G.O.Ms.No. 43, Water Resources (Reforms) Department, dt. 15-05-2019.
5. G.O. Ms. No.1, Industries & Commerce (P&I) Department, Dt: 12.01.2022.
6. From the ENC (I), WRD, Lr. No. ENC (I)/EE/DEE.1/ AEE.2/ IWS/ (Kajaria Ceramics Ltd.), dt. 14-11-2022.

****

ORDER

In the letter 6th read above, the Engineer-in-Chief (Irrigation), Water Resources Department, has furnished a detailed proposal based on the report of the Chief Engineer, NTR TGP, Tirupati, and recommended to Government to accord permission for allocation of 2008 KLD (0.8207 Cusecs) of water from SSG Canal to M/s Kajaria Ceramics Limited, Thatiparthi (Village), Thottambedu (Mandal), Near Srikalahasti, Tirupati District, subject to the following terms and conditions :

1. The drawl of 2008 KLD from SSG Canal @ KM 77.595 is valid only when the industry utilizes the above required quantity of water in any one of the financial year in a continuous span of four (04) years or otherwise, the allotment can be reduced according to the procedure adopted by the APIIC Ltd., as per the land availability or as per actual utilization of water during the above cited period.

Contd...2

2. The firm may bear the royalty charges for the loss of water due to release of water from Kandaleru Reservoir to OT Sluice of SSG Canal from which water is drawn.
3. The water will be spared on the availability of water in the Kandaleru Reservoir.
4. The entire cost of construction of pump-house, pipelines excavation etc. should be borne by the user only.
5. Water meters or suitable measuring devices should be installed by the Industry at their own cost to measure the water consumed and should be made available to the Departmental Authorities and the representatives of the user shall be present at the time of inspection.
6. The Industry should pay water charges/ royalty at the existing rates as fixed by the Government. The water royalty charges are likely to be revised by the Government from time to time and the industry shall pay the revised rates as fixed by the Government from time to time. In case of failure to pay water rate / royalty, the permission to draw water shall stand cancelled.
7. No field bodhi or pipeline shall be taken through or along with Government land without approval of the competent authority. The lease amount should be paid as fixed by the Government.
8. The Industry shall obtain the prior concurrence of concerned Departments for laying pipelines crossing etc.
9. The Industry should make their own arrangements for supplementation of water in their premises only.
10. The Industry should make their own arrangements to dispose the treated effluents as per norms of Andhra Pradesh Pollution Control Board in their premises only and should obtain prior permission if any needed from Government to dispose treated effluents in the natural sources.
11. The Water Resources Department reserves the right for cancellation of the permission without assigning any reasons thereof.
12. The Irrigation Department is no way responsible for non-supply of

(Contd...3)

-3-

water due to any reason.

13. The firm must acquire the private land for installation of pumping arrangements.

14. The water drawn from the Kandaleru Reservoir through SSG Canal temporarily should be utilized for the purpose for which permission is granted and any misuse in this regard will entail cancellation for the permission without any notice and the firm is liable for imposition of penalty.

15. The Industry must strengthen the bund/canal/river margin 100 Mts or as decided by the Water Resources Department, on either side of the proposed off take point to avoid slips, erosion of banks and to protect existing margins as directed by the Department.

16. The Industry should follow the Revenue Board Standing Orders.

17. The Industry shall pay security deposit at 5.0% on the water charges for the stipulated period as per direction of the Agreement authority.

18. The Industry shall pay one year water charges as advance before entering into agreement.

19. The Industry should make its own arrangements for summer storage during the canal closure periods.

20. M/s Kajaria Ceramics Limited has to conclude an agreement with the concerned Superintending Engineer within one year after according the approval from the Government of Andhra Pradesh or otherwise the allocation deems to be cancelled.

21. A detailed plan showing the location, the intake arrangements, details of pump-house, conveyance system etc., shall be furnished to Chief Engineer, Central Designing Organisation and his prior concurrence shall be obtained.

22. The Industry shall abide any other conditions laid down by the Government / Department from time to time.

23. The firm has to pay the water charges for the estimated quantity in advance at the start of the financial year i.e., before 10th April every year.

Contd... Pg4

-4-

24. Under any circumstances, the consumptive utilization of 2008 KLD as required by the M/s Kajaria Ceramics Limited should not be exceeded.

25. **Any other conditions stipulated by the Water Resources Department afterwards if found necessary, the same will be binding on the firm.**

26. The permission does not confer any Riparian Right to the industry.

27. In case of the industry is getting closed, then the allocation will be automatically gets cancelled.

28. The Firm has to produce the relevant records for Departmental verification at the end of each quarter periodically.

29. Non-Adherence to any of the above condition by the industry will entail cancellation of the permission.

30. The concerned Executive Engineer will be responsible for enforcing the Conditions.

31. The firm has to obtain separate permission duly enclosing the drawings of pipe lines and lease amounts to be paid for the Government Land to be leased as per the prevailing norms.

2. After careful examination of the proposal, Government hereby accord permission to M/s Kajaria Ceramics Limited, Thatiparthi (Village), Thottambedu (Mandal), Near Srikalahasti, Tirupati District, for drawl of 2008 KLD (0.8207 Cusecs) of water from Kandaleru Reservoir through SSG Canal at KM 77.595 located in the Thottambedu (M), Near Srikalahasti, Tirupati District, considering temporarily until the APIIC supplies water as per the orders issued in the G.O. 4th read above to the existing and upcoming industries, those who are purchased the land with the APIIC Ltd., subject to the terms & conditions as mentioned at above para.

3. The Engineer-in-Chief (Irrigation), Water Resources Department, Chief Engineer, NTR TGP, Tirupati and the Collector & District Magistrate of Tirupati District shall take necessary action accordingly.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

Shashi Bhushan Kumar I A S

(Contd...5-

- 5 -

Principal Secretary To Government

To
The Engineer-in-Chief (Irrigation), Water Resources Department,
Andhra Pradesh, Vijayawada.
The Chief Engineer, NTR TGP, Tirupati.
The Collector & District Magistrate, Tirupati District, Tirupati.
The Managing Director, A.P. Pollution Control Board, A.P, Vijayawada.
The Managing Director, M/s Kajaria Ceramics Limited,
Thatiparthi (Village), Thottambedu (Mandal),
Near Srikalahasti, Tirupati District.

Copy to:
The P.S. to the Hon'ble Minister for Water Resources Department.
The P.S. the Prl. Secretary to Government, Water Resources Department.
SF/SC.

//FORWARDED::BY ORDER//

P.K. Shanmukham
SECTION OFFICER

WATER RESOURCES DEPARTMENT Despatch 10/3/23 A.P. SECRETARIAT, VELAGAPUDI, AMARAVATI

Signed by Shashi Bhushan Kumar I A S
Date: 09-03-2023 13:54:09
Reason: Approved

7287847/2023/REFORMS-ICD01

GOVERNMENT OF ANDHRA PRADESH
ABSTRACT

Water Resources Department – Allocation of 2008 KLD (0.8207 Cusecs) of water from Kandaleru Reservoir through SSG Canal at KM 77.595 located in the Thottambedu (M), to M/s Kajaria Ceramics Limited, Thatiparthi (Village), Thottambedu (Mandal), Near Srikalahasti, Tirupati District - Permission accorded- Orders – Issued.

WATER RESOURCES (REFORMS) DEPARTMENT

G.O.Ms.No.28 **Dated:09.03.2023**

Read the following:-

1. Govt Memo No 50000/TGP(1)/96-1,Irrigation & CAD(PW) Department, Dt. 16-11-1996.
2. G.O. Ms. No. 202 of Industries & Commerce Department, Dt: 06-12-2014.
3. Govt. Memo. No. 2772/Reforms/A2/2015-1, dated: 30-09-2015.
4. G.O.Ms.No. 43, Water Resources (Reforms) Department, dt. 15-05-2019.
5. G.O.Ms.No. 1, Industries & Commerce (P&I) Department, dt. 12.01.2022.
6. From the ENC (I), WRD, Lr. No. ENC (I)/EE/DEE1/ AEE2/ IWS (Kajaria Ceramics Ltd.), dt. 14-11-2022.

****

ORDER

In the letter 6th read above, the Engineer-in-Chief (Irrigation), Water Resources Department, has furnished a detailed proposal based on the report of the Chief Engineer, NTR TGP, Tirupati, has recommended the proposal to Government to accord permission for allocation of 2008 KLD (0.8207 Cusecs) of water from SSG Canal to M/s Kajaria Ceramics Limited, Thatiparthi (Village), Thottambedu (Mandal), Near Srikalahasti, Tirupati District, subject to the following terms and conditions :

(1) The drawl of 2008 KLD from SSG Canal @ KM 77.595 is valid only when the industry utilizes the above required quantity of water in any one of the financial year in a continuous span of four years or otherwise, the allotment can be reduced according to the procedure adopted by the APIIC Ltd., as per the land availability or as per actual utilization of water during the above cited period.

(2) The firm may bear the royalty charges for the loss of water due to release of water from Kandaleru Reservoir to OT Sluice of SSG Canal from which water is drawn.

(3) The water will be spared on the availability of water in the Kandaleru Reservoir.

(4) The entire cost of construction of pump-house, pipelines excavation etc. should be borne by the user only.

(5) Water meters or suitable measuring devices should be installed by the Industry at their own cost to measure the water consumed and should be made available to the Departmental Authorities and the representatives of the user shall be present at the time of inspection.

(6) The industry should pay water charges /royalty at the existing rates as fixed by the Government. The water royalty charges are likely to be revised by the Government from time to time and the industry shall pay the revised rates as fixed by the Government from time to time. In case of failure to pay water rate / royalty, the permission to draw water shall stand cancelled.

(7) No field bodhi or pipeline shall be taken through or along with Government land without approval of the competent authority. The lease amount should be paid as fixed by the Government.

(8) The Industry shall obtain the prior concurrence of concerned Departments for laying pipelines crossing etc.

(9) The Industry should make their own arrangements for supplementation of water in their premises only.

(10) The Industry should make their own arrangements to dispose the treated effluents as per norms of Andhra Pradesh Pollution Control Board in their premises only and should obtain prior permission if any needed from Government to dispose treated effluents in the natural sources.

(11) The Water Resources Department reserves the right for cancellation of the permission without assigning any reasons thereof.

(12) The Irrigation Department is no way responsible for non-supply of water due to any reason.

(13) The firm must acquire the private land for installation of pumping arrangements.

(14) The water drawn from the Kandaleru Reservoir through SSG Canal temporarily should be utilized for the purpose for which permission is granted and any misuse in this regard will entail cancellation for the permission without any notice and the firm is liable for imposition of penalty.

(15) The Industry must strengthen the bund/canal/river margin 100 Mts or as decided by the Water Resources Department, on either side of the proposed off take point to avoid slips, erosion of banks and to protect existing margins as directed by the Department.

(16) The Industry should follow the Revenue Board Standing Orders.

(17) The Industry shall pay security deposit at 5.0% on the water charges for the stipulated period as per direction of the Agreement authority.

(18) The Industry shall pay one year water charges as advance before entering into agreement.

(19) The Industry should make its own arrangements for summer storage during the canal closure periods.

(20) M/s Kajaria Ceramics Limited has to conclude an agreement with the concerned Superintending Engineer within one year after according the approval from the Government of Andhra Pradesh or otherwise the allocation deems to be cancelled.

(21) A detailed plan showing the location, the intake arrangements, details of pump-house, conveyance system etc., shall be furnished to Chief Engineer, Central Designing Organisation and his prior concurrence shall be obtained.

(22) The Industry shall abide any other conditions laid down by the Government / Department from time to time.

(23) The firm has to pay the water charges for the estimated quantity in advance at the start of the financial year i.e., before 10th April every year.

(24) Under any circumstances, the consumptive utilization of 2008 KLD as required by the M/s Kajaria Ceramics Limited should not be exceeded.

(25) Any other conditions stipulated by the Water Resources Department afterwards if found necessary, the same will be binding on the firm.

(26) The permission does not confer any Riparian Right to the industry.

(27) In case of the industry is getting closed, then the allocation will be automatically gets cancelled.

(28) The Firm has to produce the relevant records for Departmental verification at the end of each quarter periodically.

(29) Non-Adherence to any of the above condition by the industry will entail cancellation of the permission.

(30) The concerned Executive Engineer will be responsible for enforcing the Conditions.

(31) The firm has to obtain separate permission duly enclosing the drawings of pipe lines and lease amounts to be paid for the Government Land to be leased as per the prevailing norms.

2. After careful examination of the proposal, Government hereby accord permission to M/s Kajaria Ceramics Limited, Thatiparthi (Village), Thottambedu (Mandal), Near Srikalahasti, Tirupati District, for drawl of 2008 KLD (0.8207 Cusecs) of water from Kandaleru Reservoir through SSG Canal at KM 77.595 located in the Thottambedu (M), Near Srikalahasti, Tirupati District, considering temporarily until the APIIC supplies water as per the Government orders in the 4th read above to the existing and upcoming industries, those who are purchased land with APIIC Ltd., subject to the terms & conditions as mentioned at above para.

3. The Engineer-in-Chief (Irrigation), Water Resources Department, Chief Engineer, NTR TGP, Tirupathi and the Collector & District Magistrate of Tirupati District shall take necessary action accordingly.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

SHASHI BHUSHAN KUMAR
PRINCIPAL SECRETARY TO GOVERNMENT

To
The Engineer-in-Chief (Irrigation), Water Resources Department,
Andhra Pradesh, Vijayawada.
The Chief Engineer, NTR TGP, Tirupati.
The Collector & District Magistrate, Tirupati District, Tirupati.

The Managing Director, A.P. Pollution Control Board, A.P, Vijayawada.
The Managing Director, M/s Kajaria Ceramics Limited, Sy.No.129, Industrial Park, Opposite Bhavani Sankarapuram, Thatiparthi (V), Thottambedu(M), Near Srikalahasti, Tirupati District-517 642.

Copy to:

The VC& MD, APIIC Ltd., Mangalagiri, Guntur Dist.
The P.S. to the Hon'ble Minister for Water Resources Department.
The P.S. to the Prl. Secretary to Government, Water Resources Department.
The P.S. to the Spl. Chief Secretary to Govt., I&C Department.
SF/SC

//FORWARDED::BY ORDER//

P. R. Bhanumurthy

SECTION OFFICER